

according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. A

Revision date: 07.09.2016

Product code: SDB0001

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

2Kfix - Comp. A

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Fastening system - Component A

## Uses advised against

#### no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name:	MKT Metall-Kunststoff-Technik G	SmbH & Co. KG
Street:	Auf dem Immel 2	
Place:	67685 Weilerbach	
Telephone:	+49(0)6374-91 16-0	Telefax:+49(0)6374-91 16-60
e-mail:	info@mkt.de	
e-mail (Contact person):	info@mkt.de	
Internet:	www.mkt.de	
1.4. Emergency telephone	+49 (0) 89-19240 (24h)	
<u>number:</u>		

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Causes skin irritation. Causes serious eye irritation.

#### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

Signal word:

**Pictograms:** 



Warning

### Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.

## Precautionary statements

r	ecautionary statem	
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P501	Dispose of contents/container to in accordance with local/regional/national/international regulation.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. A

Revision date: 07.09.2016

Product code: SDB0001

Page 2 of 8

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Reg	ulation (EC) No. 1272/2008 [CLP	]	
616-47-7	1-methylimidazole			1 - < 5 %
	210-484-7	613-035-00-7		
	Acute Tox. 4, Acute Tox. 4, Skin	Corr. 1B; H312 H302 H314		
68928-76-7	Dimethylbis[(1-oxoneodecyl)oxy	/]stannane		<1%
	273-028-6			
	Repr. 2, Acute Tox. 4, STOT RE	1, Aquatic Chronic 4; H361d H3	02 H372 H413	

Full text of H and EUH statements: see section 16.

#### Further Information

SVHC Liste (Candidate List of Substances of Very High Concern for authorisation): substances are not contained or are below 0,1%.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

#### **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

. . .

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media Foam.

Extinguishing powder Water spray jet Carbon dioxide (CO2).



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. A

Revision date: 07.09.2016

Product code: SDB0001

Page 3 of 8

## Unsuitable extinguishing media

Full water jet

After contact with skin, wash immediately with plenty of water and soap.

### 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not use for products which come into contact with the food stuffs.

#### Further information on storage conditions

storage temperature : 5-25°C

#### 7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.2. Exposure controls



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. A

Revision date: 07.09.2016

Product code: SDB0001

Page 4 of 8



#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,3mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

#### **Skin protection**

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Paste light beige	-	
	0 0		Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Flash point:		not applicable	
Flammability			
Solid:		not determined	
Gas:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Auto-ignition temperature			
Solid:		not determined	
Gas:		not applicable	
Decomposition temperature:		not determined	
Oxidizing properties Not oxidizing.			
Vapour pressure:		not determined	
Density (at 20 °C):		1,09 g/cm <sup>3</sup>	



#### according to Regulation (EC) No 1907/2006

2Kfix - Comp. A		
Revision date: 07.09.2016	Product code: SDB0001	Page 5 of 8
Water solubility:	insoluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

<u>10.6. Hazardous decomposition products</u> No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
616-47-7	1-methylimidazole				
	oral	ATE	500 mg/kg		
	dermal	ATE	1100 mg/kg		
68928-76-7	Dimethylbis[(1-oxoneodecyl)oxy]	stannane			
	oral	LD50	894 mg/kg	Rat	
	dermal	LD50	> 2000 mg/kg	Rat	

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

## The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. A

Revision date: 07.09.2016

Product code: SDB0001

Page 6 of 8

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

#### Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances Classified as hazardous waste.

### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

No dangerous good in sense of this transport regulation.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

### 14.1. UN number:

No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

	2Kfix - Comp. A	
Revision date: 07.09.2016	Product code: SDB0001	Page 7 of 8
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
<b>14.6. Special precautions for user</b> No information available.		
14.7. Transport in bulk according to An	nex II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information	on	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	1,0 Gew. % (DIN EN ISO 11890-2)	
Additional information		
To follow: 850/2004/EC , 79/117/EE	EC , 689/2008/EC	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the work protection guideline' (94/33/EC).	e 'juvenile
Water contaminating class (D):	1 - slightly water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for s	ubstances in this mixture were not carried out.	
SECTION 16: Other information		
Abbreviations and acronyms		
ADR: Accord européen sur le trans	port des marchandises dangereuses par Route	
	the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code		

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. A

Revision date: 07.09.201	S Product code: SDB0001	Page 8 of 8
11040		

- Causes serious eye irritation. H319 H361d
  - Suspected of damaging the unborn child.
  - Causes damage to organs (...) through prolonged or repeated exposure.
    - May cause long lasting harmful effects to aquatic life.

## **Further Information**

H372

H413

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

2Kfix - Comp B

	zkiix - Comp.	D
Revision date: 07.04.2016	Product code: SDB0	002 Page 1 o
SECTION 1: Identification of	of the substance/mixture and of	f the company/undertaking
1.1. Product identifier		
2Kfix - Comp. B		
1.2. Relevant identified uses o	f the substance or mixture and us	es advised against
Use of the substance/mixtu	Ire	
Fastening system - Comp	onent B	
Uses advised against		
no restriction		
1.3. Details of the supplier of t	ha safatu data shqat	
Company name:	MKT Metall-Kunststoff-Technik (	GmbH & Co KG
Street:	Auf dem Immel 2	
Place:	67685 Weilerbach	
Telephone:	+49(0)6374-91 16-0	Telefax:+49(0)6374-91 16-60
e-mail:	info@mkt.de	
e-mail (Contact person):	info@mkt.de	
Internet:	www.mkt.de	
1.4. Emergency telephone	+49 (0) 89-19240 (24h)	

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Resp. Sens. 1A Respiratory or skin sensitisation: Skin Sens. 1B Carcinogenicity: Carc. 2 Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

## Hazard components for labelling

Diphenylmethanediisocyanate, isomeres and homologues

Signal word: Danger



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 2 of 8

**Pictograms:** 



#### Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container to gemäß lokalen/nationalen Vorschriften der Entsorgung.

#### Special labelling of certain mixtures

EUH204 Contains isocyanates. May produce an allergic reaction.

#### 2.3. Other hazards

This substance meets the PBT criteria of REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
9016-87-9	9 Diphenylmethanediisocyanate, isomeres and homologues			75 - < 80 %
	Carc. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1A, Skin Sens. 1B, STOT SE 3, STOT RE 2; H351 H332 H315 H319 H334 H317 H335 H373			

Full text of H and EUH statements: see section 16.

#### **Further Information**

SVHC Liste (Candidate List of Substances of Very High Concern for authorisation): substances are not contained or are below 0,1%.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 3 of 8

## **General information**

Change contaminated, saturated clothing.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder Water spray jet

#### Unsuitable extinguishing media

Full water jet Foam.

#### 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use personal protection equipment. Special danger of slipping by leaking/spilling product.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### Take up mechanically.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 4 of 8

Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Use protective skin cream before handling the product.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

#### Advice on storage compatibility

Do not use for products which come into contact with the food stuffs. Store in a well-ventilated place. Keep cool.

#### Further information on storage conditions

Keep container tightly closed in a cool place. storage temperature 5-25°C

#### 7.3. Specific end use(s)

see section 1.2

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.2. Exposure controls



#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### **Eye/face protection**

Suitable eye protection:Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,35mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

### Skin protection

Wear suitable protective clothing.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 5 of 8

**Respiratory protection** 

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Paste		
characteristic		
		Test method
	not applicable	
	not determined	
	not applicable	
	not determined	
	not applicable	
	not determined	
	not determined	
	not determined	
	not determined	
	not determined	
	1,25 g/cm³	
	insoluble	
	not determined	
	not determined	
	not determined	
	not determined	
	Paste light beige characteristic	light beige characteristic not applicable not determined not applicable not determined not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

see section 10.3

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 6 of 8

## 10.4. Conditions to avoid

see section 7.2

#### 10.5. Incompatible materials Oxidising agent, strong

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **ATEmix calculated**

ATE (inhalative vapour) 11,52 mg/l; ATE (inhalative aerosol) 1,968 mg/l

#### Acute toxicity

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
9016-87-9	Diphenylmethanediisocyanate, isomeres and homologues						
	oral	LD50	>10000 mg/kg	Rat			
	dermal	LD50	>9400 mg/kg	Rabbit			
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

### **SECTION 12: Ecological information**

## 12.1. Toxicity

### The product is not: Ecotoxic.

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

- 12.4. Mobility in soil
  - The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 7 of 8

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

#### Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no 14.6. Special precautions for user No information available. 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not applicable



according to Regulation (EC) No 1907/2006

## 2Kfix - Comp. B

Revision date: 07.04.2016

Product code: SDB0002

Page 8 of 8

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

< 0,1 Gew. % (DIN EN ISO 11890-2)

#### **Additional information**

2004/42/EC (VOC):

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

#### National regulatory information

Employment restrictions:

Water contaminating class (D):

under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 1 - slightly water contaminating

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 8.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text) Causes skin irritation. H315 H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- EUH204 Contains isocyanates. May produce an allergic reaction.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)